STIC Search Report
EIC 2100

STIC Database Tracking Number: 181051

|	
TO: Ji-Young D Chung **Location: RND 4D60** **Art Unit: 2143** **Thursday, March 02, 2006** **Case Serial Number: 10/036140**	**From: Lucy Park** **Location: EIC 2100** **RND-4B11** **Phone: 571-272-8667** **lucy.park@uspto.gov**

Search Notes

Dear Examiner Chung,

Here are the search results for your Fast & Focused search request on case number 10/036140. I flagged the results that looked most relevant, but please review all of the results. Please let me know if you have any questions about these or if you need any further information.

Lucy

STIC EIC 2100 _18105_
Search Request Form

Today's Date: 3/1/06

What date would you like to use to limit the search?

Priority Date: 12/26/2001   Other:

Name: Ji-Yong D. Chung

AU: 2143   Examiner #: 13744

Room #: 4D60   Phone: 2-7988

Serial #: 10/036,140

Format for Search Results (Circle One):

PAPER   DISK   (EMAIL)

Where have you searched so far?

[USP]   DWPI   EPO   JPO   ACM   IBM TDB

IEEE   INSPEC   SPI   Other __PGPUB__

Is this a "Fast & Focused" Search Request? (Circle One) (YES)   NO

A "Fast & Focused" Search is completed in 2-3 hours (maximum). The search must be on a very specific topic and meet certain criteria. The criteria are posted in EIC2100 and on the EIC2100 NPL Web Page at http://ptoweb/patents/stic/stic-tc2100.htm.

What is the topic, novelty, motivation, utility, or other specific details defining the desired focus of this search? Please include the concepts, synonyms, keywords, acronyms, definitions, strategies, and anything else that helps to describe the topic. Please attach a copy of the abstract, background, brief summary, pertinent claims and any citations of relevant art you have found.

(see attached)

STIC Searcher: Lucy Park   Phone: 28667

Date picked up: 3/2/06   Date Completed: 3/2/06

Relevant Claim: claim 1.

Description:

The technology is a combination of

(1) SCTP (communication protocol)

(2) A software implementation to support SCTP,

The software application involves storing multiple IP addresses (of one of two ends of a communication path) that are provided in SCTP.

Two copies of the application, each on a separate machine, exist in the same network.

The applications are synchronized.

STIC Search Results
Feedback Form

EIC 2100

Questions about the scope or the results of the search? Contact *the EIC searcher or contact:*

Anne Hendrickson, EIC 2100 Team Leader
272-3490, RND 4B28

Voluntary Results Feedback Form

➢ *I am an examiner in Workgroup:* [   ]   *Example: 2133*

➢ *Relevant prior art **found**, search results used as follows:*

☐ 102 rejection

☐ 103 rejection

☐ Cited as being of interest.

☐ Helped examiner better understand the invention.

☐ Helped examiner better understand the state of the art in their technology.

Types of relevant prior art found:

☐ Foreign Patent(s)

☐ Non-Patent Literature
(journal articles, conference proceedings, new product announcements etc.)

➢ *Relevant prior art **not found:***

☐ Results verified the lack of relevant prior art (helped determine patentability).

☐ Results were not useful in determining patentability or understanding the invention.

Comments:

Drop off or send completed forms to STIC/EIC2100 RND, 4B28

sira
Search and Information
Resources Administration

```
File    2:INSPEC 1898-2006/Feb W3
          (c) 2006 Institution of Electrical Engineers
File    6:NTIS 1964-2006/Feb W2
          (c) 2006 NTIS, Intl Cpyrght All Rights Res
File    8:Ei Compendex(R) 1970-2006/Feb W3
          (c) 2006 Elsevier Eng.  Info. Inc.
File   23:CSA Technology Research Database 1963-2006/Feb
          (c) 2006 CSA.
File   34:SciSearch(R) Cited Ref Sci 1990-2006/Feb W4
          (c) 2006 Inst for Sci Info
File   35:Dissertation Abs Online 1861-2006/Feb
          (c) 2006 ProQuest Info&Learning
File   65:Inside Conferences 1993-2006/Mar 01
          (c) 2006 BLDSC all rts. reserv.
File   94:JICST-EPlus 1985-2006/Dec W1
          (c)2006 Japan Science and Tech Corp(JST)
File   99:Wilson Appl. Sci & Tech Abs 1983-2006/Feb
          (c) 2006 The HW Wilson Co.
File  111:TGG Natl.Newspaper Index(SM) 1979-2006/Feb 22
          (c) 2006 The Gale Group
File  144:Pascal 1973-2006/Feb W1
          (c) 2006 INIST/CNRS
File  239:Mathsci 1940-2006/Apr
          (c) 2006 American Mathematical Society
File  256:TecInfoSource 82-2006/Feb
          (c) 2006 Info.Sources Inc


Set     Items    Description
S1        431    SCTP OR (STREAM OR SIMPLE)()CONTROL()(TRANSMISSION OR TRAN-
                 SPORT)()PROTOCOL
S2   10140845    SOFTWARE OR APPLICATION? ? OR PROGRAM? ?
S3    4549218    DATA()STRUCTURE? ? OR RECORD? ? OR LIST??? OR TABLE? ? OR -
                 MATRIX OR MATRICES OR ARRAY? ?
S4      31829    S2:S3(3N)(ADDRESS?? OR IP(3N)NUMBER? ?)
S5       1048    S4(3N)(TWO OR DUAL OR COUPLE OR PAIR OR DUPLICATE? ? OR CO-
                 PY OR COPIES OR ANOTHER OR SECOND OR 2ND OR NEXT)
S6       1110    S4(3N)(MULTI OR MULTIPLE OR PLURAL??? OR SEVERAL OR MANY OR
                 ADDITIONAL)
S7     378729    SYNCHRONIZ? OR SYNCHRONIS? OR SYNCHRONOUS OR SYNC
S8    1176655    SAME()TIME OR SIMULTANEOUS??
S9       2148    S5:S6
S10        25    S9(10N)S7:S8
S11         0    S1 AND S10
S12         0    S10 AND PROTOCOL? ?
S13        15    S10 NOT PY=2002:2006
S14        12    RD   (unique items)
S15         0    S1 AND S9
S16         4    S1 AND S4
S17         4    RD   (unique items)
S18        22    S1 AND (FAILOVER? ? OR FAIL()OVER? ? OR REDUNDANCY)
S19        14    RD   (unique items)
S20         0    S19 NOT PY=2002:2006
S21        59    S9 AND PROTOCOL? ?
S22        43    RD   (unique items)
S23        24    S22 NOT PY=2002:2006
S24        24    S23 NOT (S14 OR S17)
```

19/5/8   (Item 8 from file: 2)

08664290   INSPEC Abstract Number: B2003-07-6150M-119, C2003-07-5640-087
  Title: **Enhancement of** failover **using application layer watchdog and**
 SCTP **heartbeat in Diameter**

  Author(s): Sang Keun Yoo; Hyun Gon Kim; Seung Won Sohn
  Author Affiliation: Inf. Security Technol. Div., ETRI, Daejeon, South Korea

  Abstract: This paper proposes enhanced **failover** for the Diameter-based
AAA system. The Diameter application layer watchdog algorithm enables
 failover from a server that has failed. **SCTP** heartbeat is used to
perform **failover** between interfaces. This paper adopts both of them to
provide efficient **failover** by inspecting the state of connection with the
peer as well as the state of the Diameter application of the peer. The
proposed **failover** method that enables the Diameter node to use an
alternative server as well as alternative communication path provides
flexible and efficient **failover** to the Diameter node. (4 Refs)

  Subfile: B C
  Descriptors: accounting; authorisation; message authentication; transport
protocols
  Identifiers: **failover** ; AAA service; authentication authorisation and
accounting service; application layer watchdog; **SCTP** heartbeat; Diameter;
AAA system; peer connection; alternative server; alternative communication
path
  Class Codes: B6150M (Protocols); C5640 (Protocols); C6130S (Data
security)

```
Set     Items    Description
S1         64    SCTP OR STREAM()CONTROL()(TRANSMISSION OR TRANSPORT)()PROT-
                 OCOL
S2     986139    SOFTWARE OR APPLICATION? ?
S3    1284105    DATA()STRUCTURE? ? OR RECORD? ? OR LIST??? OR TABLE? ? OR -
                 MATRIX OR MATRICES OR ARRAY? ?
S4      16786    S2:S3(3N)(ADDRESS?? OR IP(3N)NUMBER? ?)
S5        878    S4(3N)(TWO OR DUAL OR COUPLE OR PAIR OR DUPLICATE? ? OR CO-
                 PY OR COPIES OR ANOTHER OR SECOND OR 2ND OR NEXT)
S6        528    S4(3N)(MULTI OR MULTIPLE OR PLURAL??? OR SEVERAL OR MANY OR
                 ADDITIONAL)
S7     313117    SYNCHRONIZ? OR SYNCHRONIS? OR SYNCHRONOUS OR SYNC
S8     771091    SAME()TIME OR SIMULTANEOUS??
S9       1328    S5:S6
S10        35    S9(10N)S7:S8
S11         0    S10 AND S1
S12         0    S10 AND PROTOCOL? ?
S13         0    S9 AND S1
S14        55    S9 AND PROTOCOL? ?
S15        16    S14 AND IC=G06F
S16        15    S15 NOT AD=20011226:20031226/PR
S17        15    S16 NOT AD=20031226:20060302/PR
S18         1    S4 AND S1
S19        23    S1 NOT AD=20011226:20031226/PR
S20        17    S19 NOT AD=20031226:20060302/PR
S21        17    S20 NOT S18
```

Set	Items	Description
S1	285	SCTP OR (STREAM OR SIMPLE)()CONTROL()(TRANSMISSION OR TRAN-SPORT)()PROTOCOL
S2	2688427	SOFTWARE OR APPLICATION? ? OR PROGRAM? ?
S3	961550	DATA()STRUCTURE? ? OR RECORD? ? OR LIST??? OR TABLE? ? OR -MATRIX OR MATRICES OR ARRAY? ?
S4	36232	S2:S3(3N)(ADDRESS?? OR IP(3N)NUMBER? ?)
S5	3525	S4(3N)(TWO OR DUAL OR COUPLE OR PAIR OR DUPLICATE? ? OR CO-PY OR COPIES OR ANOTHER OR SECOND OR 2ND OR NEXT)
S6	1572	S4(3N)(MULTI OR MULTIPLE OR PLURAL??? OR SEVERAL OR MANY OR ADDITIONAL)
S7	168349	SYNCHRONIZ? OR SYNCHRONIS? OR SYNCHRONOUS OR SYNC
S8	646539	SAME()TIME OR SIMULTANEOUS??
S9	4642	S5:S6
S10	93	S9(10N)S7:S8
S11	0	S10(S)S1
S12	7	S10(S)PROTOCOL?
S13	7	S12 NOT AD=20011226:20031226/PR
S14	5	S13 NOT AD=20031226:20060302/PR
S15	5	S9(S)S1
S16	5	S15 NOT S12
S17	0	S16 NOT AD=20011226:20031226/PR
S18	12	S1(S)S4
S19	5	S18 NOT AD=20011226:20031226/PR
S20	4	S19 NOT AD=20031226:20060302/PR
S21	4	S20 NOT S14
S22	406	S9(S)S7:S8
S23	67	S22(S)PROTOCOL?
S24	36	S23 AND IC=G06F
S25	33	S24 NOT AD=20011226:20031226/PR
S26	32	S25 NOT AD=20031226:20060302/PR
S27	32	S26 NOT (S14 OR S15 OR S18)
S28	0	S27(S)S1
S29	16	S1(S)(FAILOVER? ? OR FAIL()OVER? ? OR REDUNDANCY)
S30	11	S29 NOT (S14 OR S15 OR S18 OR S27)
S31	8	S30 NOT AD=20011226:20031226/PR
S32	6	S31 NOT AD=20031226:20060302/PR

21/3,K/1   (Item 1 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2006 European Patent Office. All rts. reserv.

01493103
**SIGNALING TRANSPORT PROTOCOL EXTENSIONS FOR LOAD BALANCING AND SERVER POOL
    SUPPORT**
**ERWEITERUNGEN   EINES   SIGNALISIERUNGS-UBERTRAGUNGSPROTOKOLLS   FUR
    LASTAUSGLEICH UNDSERVERPOOL-UNTERSTUTZUNG**
**EXTENSIONS DE PROTOCOLES DE TRANSPORTS DE SIGNALISATION POUR EQUILIBRAGE
    DES CHARGES ET ADJONCTION D'UN GROUPE DE SERVEURS**
PATENT ASSIGNEE:
  Telefonaktiebolaget LM Ericsson (publ), (3258787), , 164 83 Stockholm,
    (SE), (Proprietor designated states: all)
INVENTOR:
  TURINA, Klaus, Stuttgarter Strasse 53, 71522 Backnang, (DE)
  PAPADIMITRIOU, Dimitrios, 7815 McCallum Blvd., Apt. 12205, Dallas, TX
    75252, (US)
  KUSTER, Josephus, 3442 Twin Lakes Dr., Prosper, TX 75078, (US)
  LIPPELT, Hans-Peter, Helpensteiner Kirchweg 31, 41469 Neuss, (DE)
LEGAL REPRESENTATIVE:
  HOFFMANN - EITLE (101511), Patent- und Rechtsanwalte Arabellastrasse 4,
    81925 Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1344369 A2   030917 (Basic)
                              EP 1344369 B1   050720
                              WO 2002051095   020627
APPLICATION (CC, No, Date):   EP 2001271725 011218; WO 2001EP14952 011218
PRIORITY (CC, No, Date): US 740175 001218
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS (V7): H04L-029/06; H04L-029/12
NOTE:
  No A-document published by EPO
LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	200529	1147
CLAIMS B	(German)	200529	933
CLAIMS B	(French)	200529	1512
SPEC B	(English)	200529	6416
Total word count - document A			0
Total word count - document B			10008
Total word count - documents A + B			10008

...SPECIFICATION protocol SCTP layer supports a SCTP association between
  SCTP endpoints. Each SCTP endpoint has a **list** of transport **addresses**
  assigned thereto – e.g., multiple IP addresses – to receive or originate
  SCTP user protocol data packets. An **SCTP** association spans transfers
  over all the possible source address/destination address combinations
  that may be generated between two **SCTP** endpoints in view of the related
   list of transport **addresses** illustrated as subdivided rectangles in
  Fig. 3. An **SCTP** association is initiated on request of the signaling
  endpoint and maintained permanently and allows to link two **SCTP**
  endpoints via multiple routes. Such a link of two **SCTP** endpoints
  supports an **SCTP** signaling stream as non-permanent signaling data
  exchange via an **SCTP** association for control processes.
    In the following, a peer signaling association is referred to as...

01261782
**System and method for transporting IN/AIN signaling over an internet
    protocol (IP) network**
**System und Verfahren zur Übertragung von IN/AIN Signalisierungsdaten über
    ein IP netzwerk**
**Systeme et methode pour transporter des messages de signalisation de reseau
    intelligent sur un reseau IP**
PATENT ASSIGNEE:
  Alcatel USA Sourcing, L.P., (2618561), 1000 Coit Road, Plano, Texas
    75075-5813, (US), (Applicant designated States: all)
INVENTOR:
  Dantu, Ramanamurthy, 3103 Kingsbury Drive, Richardson, Texas 75082, (US)
  Davis, Robert Wayne, 13939 Far Hills Lane, Dallas, Texas 75240, (US)
  George, Thomas Lamar, Jr., 2201 Teakwood Lane, Plano, Texas 75075, (US)
LEGAL REPRESENTATIVE:
  Dreiss, Fuhlendorf, Steimle & Becker (100861), Patentanwalte, Postfach 10
    37 62, 70032 Stuttgart, (DE)
PATENT (CC, No, Kind, Date): EP 1089575 A2 010404 (Basic)
                              EP 1089575 A3 030618
APPLICATION (CC, No, Date):   EP 2000119962 000914;
PRIORITY (CC, No, Date): US 155041 990921
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS (V7): H04Q-003/00
ABSTRACT WORD COUNT: 152
NOTE:
  Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200114	2072
SPEC A	(English)	200114	9127
Total word count - document A			11199
Total word count - document B			0
Total word count - documents A + B			11199

...SPECIFICATION of link changeover procedures set forth hereinbelow.
    Pursuant to the formation of an association, each **SCTP** endpoint
  provides the other endpoint with a **list** of transport **addresses** (e.g.,
  one or more IP addresses in combination with an **SCTP** port) through
  which that endpoint can be reached and from which it will originate **SCTP**
  packets. The association spans transfers over all of the possible
  source/destination combinations which may be generated from each
  endpoint's lists. Additional details regarding **SCTP** architecture may be
  found in the work in progress Internet Draft identified as
  <draft-ietf-sigtran- **sctp** -13.txt> which is incorporated by reference
  herein.
    Continuing to refer to FIG. 5A, a...

01791868
**Method and apparatus for changeover of associations between signalling
     processes**
**Verfahren und Anordnung zum Wechsel von Verbindungen zwischen
     Signalisierungs-Prozessen**
**Procede et appareil pour changer des liaisons entre des processus de
     signalisation**
PATENT ASSIGNEE:
  Hewlett-Packard Development Company, L.P., (4337790), 20555 S.H. 249,
     Houston, TX 77070, (US), (Applicant designated States: all)
INVENTOR:
  Lamberton, Marc, 981 route de St Jean, 06600 Antibes, (FR)
  Barbier, Stephane, 149 avenue des Sources, 06370 Mouans-Sartoux, (FR)
  Desiderio, Didier, Residence "Le Sedaine", 17 rue des Oliviers, 06110 Le
     Cannet, (FR)
LEGAL REPRESENTATIVE:
  Lloyd, Richard Graham (75505), Hewlett-Packard France Intellectual
     Property Section Etablissement de Grenoble, 38053 Grenoble Cedex 09,
     (FR)
PATENT (CC, No, Kind, Date): EP 1465440 A1 041006 (Basic)
                              EP 1465440 A1 041006
APPLICATION (CC, No, Date):   EP 2003290837 030403;
DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR;
   HU; IE; IT; LI; LU; MC; NL; PT; RO; SE; SI; SK; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK
INTERNATIONAL PATENT CLASS (V7): H04Q-003/00; H04L-012/66
ABSTRACT WORD COUNT: 171
NOTE:
  Figure number on first page: 10 11

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200441	1204
SPEC A	(English)	200441	7642
Total word count - document A			8846
Total word count - document B			0
Total word count - documents A + B			8846

...SPECIFICATION between each SGP and ASP.
   Protocol extensions and procedures have been proposed for implementing
 a **fail - over** mechanism between Stream Control Transfer Protocol (**SCTP**
) associations connecting processes in the Application Servers and
 processes in the Signalling Gateways. They are defined by the IETF in a
 draft "Correlation Id and Hearbeat Procedures (CORID) Supporting Lossless
 Fail - Over between **SCTP** Associations for Signalling User Adaptation
 Layers'' available from the IETF website at www.ietf.org. This **fail -
 over** mechanism requires both sides of the associations namely the AS and
 SG to use a...

Subscribe (Full Service)   Register (Limited Service, Free)   Login

Search: ⦿ The ACM Digital Library   ○ The Guide

| +sctp +address* | **SEARCH** |

I⬤ Feedback Report a problem Satisfaction survey

Published before January 2002
Terms used **sctp address**

Found 6 of 124,446

Sort results by | relevance ☑ | ● Save results to a Binder   Try an Advanced Search
Display results | expanded form ☑ | ② Search Tips   Try this search in The ACM Guide
                                                     ☐ Open results in a new window

Results 1 - 6 of 6

Relevance scale ☐ ◩ ◪ ◼ ◼

1   Open base situation transport (OBAST)architecture   ◼
Phillip D. Neumiller, Peter L. Lei, Michael L. Needham
July 2000   **ACM SIGMOBILE Mobile Computing and Communications Review**, Volume 4
            Issue 3
Publisher: ACM Press
Full text available: 🔁 pdf(1.08 MB)   Additional Information: full citation, abstract, index terms

> This paper outlines the requirements for a set of open IP based protocols enabling
> seamless mobility across diverse radio access networks. We begin by stating some
> architectural tenets upon which the requirements for the OBAST protocol set are based.
> Furthermore, what the authors currently believe to be the eventual desirable wireless
> Internet architecture is described. This architecture is shown to enable a common protocol
> set that we refer to as the open base station transport (OBAST) protocol ...

2   Application-layer mobility using SIP   ◼
Henning Schulzrinne, Elin Wedlund
July 2000   **ACM SIGMOBILE Mobile Computing and Communications Review**, Volume 4
            Issue 3
Publisher: ACM Press
Full text available: 🔁 pdf(1.34 MB)   Additional Information: full citation, abstract, citings, index terms

> Supporting mobile Internet multimedia applications requires more than just the ability to
> maintain connectivity across subnet changes. We describe how the Session Initiation
> Protocol (SIP) can help provide terminal, personal, session and service mobility to
> applications ranging from Internet telephony to presence and instant messaging. We also
> briefly discuss application-layer mobility for streaming multimedia applications initiated by
> RTSP.

3   Special issue on wireless extensions to the internet: Interworking internet telephony   ◼
    and wireless telecommunications networks
Jonathan Lennox, Kazutaka Murakami, Mehmet Karaul, Thomas F. La Porta
October 2001 **ACM SIGCOMM Computer Communication Review**, Volume 31 Issue 5
Publisher: ACM Press
Full text available: 🔁 pdf(1.09 MB)   Additional Information: full citation, abstract, references

> Internet telephony and mobile telephony are both growing very rapidly. Directly
> interworking the two presents significant advantages over connecting them through an
> intermediate PSTN link. We propose three novel schemes for the most complex aspect of

the interworking: call delivery from an Internet telephony (SIP) terminal to a mobile telephony (UMTS) terminal. We then evaluate the proposals both qualitatively and quantitatively. However, existing equipment may not support packet interfaces n ...

4 Dynamic vectorization: a mechanism for exploiting far-flung ILP in ordinary programs

Sriram Vajapeyam, P. J. Joseph, Tulika Mitra

May 1999 **ACM SIGARCH Computer Architecture News , Proceedings of the 26th annual international symposium on Computer architecture ISCA '99**, Volume 27 Issue 2

Publisher: IEEE Computer Society, ACM Press

Full text available: pdf(103.41 KB)   Additional Information: full citation, abstract, references, citings, index terms

Publisher Site

Several ILP limit studies indicate the presence of considerable ILP across dynamically far-apart instructions in program execution. This paper proposes a hardware mechanism, *dynamic vectorization (DV),* as a tool for quickly building up a large logical instruction window. Dynamic vectorization converts repetitive dynamic instruction sequences into vector form, enabling the processing of instructions from beyond the corresponding program loop to be overlapped with the loop. This enables vec ...

5 Streaming 2: ReMDoR: remote multimedia document retrieval over partial order transport

Phillip T. Conrad, Armando Caro, Paul Amer

October 2001 **Proceedings of the ninth ACM international conference on Multimedia**

Publisher: ACM Press

Full text available: pdf(1.41 MB)   Additional Information: full citation, abstract, references, citings, index terms

This paper presents results from performance experiments that demonstrate and quantify performance improvements when a PO/R transpor5t service is used instead of an ordered/reliable service (O/R e.g., TCP) or an unordered/unreliable service (e.g. UDP). We first describe the *Remote Multimedia Document Retrieval system (ReMDoR)*, an experimental application developed by the authors to evaluate the performance of remote document retrieval over a variety of transport protocols. We then provide ...

Keywords: multimedia, partial order, transport protocols

6 Multicast tree generation in networks with asymmetric links

S. Ramanathan

August 1996 **IEEE/ACM Transactions on Networking (TON)**, Volume 4 Issue 4

Publisher: IEEE Press

Full text available: pdf(1.26 MB)   Additional Information: full citation, references, citings, index terms, review

Keywords: Steiner trees, approximation algorithms, asymmetric links, directed graph, multicast

Results 1 - 6 of 6

P⟁RTAL

Subscribe (Full Service)   Register (Limited Service, Free)   Login

Search: ◉ The ACM Digital Library   ○ The Guide

+sctp failover* fail()over*   **SEARCH**

Nothing Found

Your search for **+sctp failover* fail()over*** did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

      sales offices

   You can also enter a full question or concept in plain language.

      Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

      John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

      "museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

      museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

      museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

      museum +"natural history" dinosaur -Chicago

Web   Images   Groups   News   Froogle   Local   **more »**

Google

[sctp "ip addresses" "two lists"]   [**Search**]   Advanced Search
Preferences

Web   Results **1 - 10** of about **111** for sctp "**ip** **addresses**" "**two** **lists**". (0.22 seconds)

[PDF] Untitled
File Format: PDF/Adobe Acrobat - View as HTML
association is identified by two **SCTP** port numbers. and **two lists** of **IP addresses**. Within
an association,. congestion control is performed in a way which is ...
tdrwww.exp-math.uni-essen.de/ inhalt/forschung/atm2000.pdf - Similar pages

[PDF] UIRABRTLP
File Format: PDF/Adobe Acrobat - View as HTML
SCTP [84] is a reliable transport protocol which supports multiple ... source and destination
IP addresses, and flows identified by both port numbers in ...
www.cs.princeton.edu/~mzhang/papers/thesis.pdf - Similar pages

lists.community.tummy.com/pipermail/linux-ha-dev/2...
319k - Supplemental Result - Cached - Similar pages

From owner-ipsec@lists.tislabs.com Fri Jan 2 01:29:08 2004 ...
=20 3) Changed all example **IP addresses** to be within subnet 10. ... It's not like UDP, TCP,
and **SCTP**, where all the well known ports are interpreted in the ...
www.vpnc.org/ietf-ipsec/entire-04.txt - 513k - Cached - Similar pages

www.laas.fr/~dgarduno/PhD_Thesis/HTML_Version/inde...
1111k - Supplemental Result - Cached - Similar pages

System Administration Guide: IP Services
File Format: Unrecognized - View as HTML
An **SCTP** connection can go to endpoints with multiple **IP addresses**, ... Figure 15–7 Dialog
box shows **two lists**, Keep Networks and Delete Networks, ...
docs.sun.com/source/816-4554/816-4554.book.xml - Similar pages

[PDF] CClleeaannAAiirrPPlla ann
File Format: PDF/Adobe Acrobat - View as HTML
the consultant scope of services to ensure that the **IP addresses** ... South Coast Transit
Plan (**SCTP**): A transit plan prepared by Santa Barbara MTD that ...
www.sbcapcd.org/cap/04cap-complete.pdf - Similar pages

[PDF] Superseded PacketCable Security Specification (PKT-SP-SEC-I08 ...
File Format: PDF/Adobe Acrobat - View as HTML
The MTA may have learned several **IP addresses** for a KDC or application server. ... There
can be **two lists** of ciphersuites, one list for RTP security and ...
www.cablelabs.com/specifications/ archives/PKT-SP-SEC-I08-030415.pdf - Similar pages

[PDF] PacketCable Security Specification (PKT-SP-SEC-I10-040113)
File Format: PDF/Adobe Acrobat - View as HTML
The MTA may have learned several **IP addresses** for a KDC or application ... **two lists** may
be included to specify the list of allowable ciphersuites, however ...
www.cablelabs.com/specifications/ archives/PKT-SP-SEC-I10-040113.pdf - Similar pages

ozlabs.org/pipermail/linuxppc64-dev/2004-October.t...
872k - Supplemental Result - Cached - Similar pages